





**Low cost automatic
tape programming with the
Auto Station**



**The Rola Auto
simplifies prog
and cuts opera**

Eddie Williams





It is approximately four years since the first production model Rola Auto Station was introduced. I have now asked to express my findings of a year now entering a most interesting stage. A number of radio stations are now equipped with Rola Auto Stations. These include the New Zealand Broadcasting Corporation, Radio Brunei (Borneo). As other stations are now becoming equipped, it is time to look at modern broadcasting. For programme control: Modern broadcasting — rock, mod pop, middle of the road — identified by and in turn identify the audience or market. I have found that it is costly and difficult to maintain the traditional tables. Costly, in so far as the need to select the discs and type the



The versatile Rola Auto Station has been adapted in various ways to meet different station's requirements. The above installations are at 2BS Bathurst and in the N.Z. Broadcasting Corporation's stations 3ZA Greymouth and 2ZE Blenheim. The three unit Auto Station complete with Auto Sequencer is available at \$3,212.00. Complete technical specifications are available from Rola Division.

PLESSE

the



The Rola Auto Station simplifies programming and cuts operating costs

Eddie Williams: 2BS says

It is approximately four years since Station 2BS Bathurst installed the first production model Rola Auto Station and I have been asked to express my findings of "push button radio" which is now entering a most interesting stage.

A number of radio stations are now successfully operating on Rola Auto Stations. These include 2DU, 8DN, 4VL, several units installed by the New Zealand Broadcasting Corporation and Radio Brunei (Borneo).

As other stations are now becoming interested, it seems the right time to look at modern broadcasting with "push button radio".

For programme control: Modern Radio demands a formula or image — rock, mod pop, middle of the road or talk — to be identified by and in turn identify itself with a certain type of audience or market. I have found over the years that it is both costly and difficult to maintain this image with discs and turntables. Costly, in so far as the need for a programme department to select the discs and type the play lists and, possibly, the

constant policing of
does not turn disc
instead of track 2
restricted play list
and noisier discs
who may prefer the
Presentation: With
tion is kept smooth
but also during the
when the average
with two and some
down when using
reading live copy
switch, a fader, a
gramme control su
I know there are st
say "I have four tu
machines". I am th
pressed to operate
machines earlier,
announcer has app
discs and/or cass
listeners thrown in
little of their charm
So much for the re
me tell you how it
The Rola Auto Sta
can be adapted in
three languages, s
ments, button No.
Bathurst, we have
of golden standards
to both young and
and arranging the
button, the number
formula. This is the
only needs changin
worked out the form
tapes.

The second spool o
are kept up to date
are arranged to fit
The spools of tape
a predetermined se
repeated in the sam
On the third spoo
national recorded
for the next day's
three hours per day
We have 3 buttons
panel. Button No. 1
current hits — butt
From there on, it i
button as required.
In conclusion, I w
modern systems of
the one we've foun
I trust my comme
interested in the b

E. N. Williams, Esq.
Managing Director
2BS Bathurst.


has been adapted in various
quirements. The above
d in the N.Z. Broadcasting
uth and 2ZE Blenheim.
ete with Auto Sequencer is
echnical specifications are

Plessey Compo

Rola Division The Boule
Richmond Victoria 3121

NSW Plessey Components Rola Division PO Bo

PLESSEY



Rola Auto Station simplifies programming cuts operating costs E. N. Williams: 2BS says

Approximately four years since Station 2BS Bathurst installed production model Rola Auto Station and I have been able to express my findings of "push button radio" which is going through a most interesting stage.

Modern radio stations are now successfully operating on automation. These include 2DU, 8DN, 4VL, several units operated by the New Zealand Broadcasting Corporation and the ABC (Borneo).

As radio stations are now becoming interested, it seems the right time to discuss modern broadcasting with "push button radio".
Automation: Modern Radio demands a formula or a style, rock, mod pop, middle of the road or talk — to be consistent and in turn identify itself with a certain type of programming for the market. I have found over the years that it is both difficult to maintain this image with discs and turntables, in so far as the need for a programme department to change the discs and type the play lists and, possibly, the

constant policing of programmes to make sure that an announcer does not turn discs over or, in the case of L.P.'s, play track 4 instead of track 2. And by difficult, I mean that even with a restricted play list of say 100 records, D.J.(A) selects the brighter and noisier discs and produces a very different sound to D.J.(B) who may prefer the quieter numbers.

Presentation: With the Auto Station, I have found that presentation is kept smoother, not only during the off peak programmes, but also during the breakfast programme and other busy times when the average country station, without panel operators, and with two and sometimes three ads between discs tends to bog down when using turntable operation. When an announcer is reading live copy and simultaneously groping for a turntable switch, a fader, a recorded commercial or the next disc, programme control suffers.

I know there are station managers reading this article, who will say "I have four turntables in every studio" or "I have cassette machines". I am the first to admit that today one would be hard pressed to operate without them. My station installed cassette machines earlier, but when one considers that a breakfast announcer has approximately 2 minutes to unload and reload discs and/or cassettes, with maybe a few phone calls from listeners thrown in, even the best of them have to sacrifice a little of their charm.

So much for the reasons why I started to think automation. Let me tell you how it operates.

The Rola Auto Station is a flexible piece of equipment and it can be adapted in many ways, e.g., Radio Brunei broadcasts in three languages, so it uses button No. 1 for Chinese announcements, button No. 2 for English and so on. In the case of 2BS Bathurst, we have a bank of tapes containing a special formula of golden standards recorded by artists who have a wide appeal to both young and old. It took some time in selecting, dubbing and arranging the items so that when changing from button to button, the numbers come out in the correct sequence of our formula. This is the first spool of our library and is standard. It only needs changing from time to time and, even then having worked out the formula, it is no problem to remake new standard tapes.

The second spool of our library is flexible — current items which are kept up to date by making three new spools per week. These are arranged to fit in for alternate playing with the first spool. The spools of tape are fed into the machine by the engineers in a predetermined sequence so that numbers are not continually repeated in the same order.

On the third spool of our equipment, the entire schedule of national recorded commercials are taped in their correct order for the next day's broadcast. It takes a junior approximately three hours per day to record these commercials on to tape.

We have 3 buttons on the Rola Auto Station remote control panel. Button No. 1 is for golden standards — button No. 2 for current hits — button No. 3 for national recorded commercials. From there on, it is just a matter of having a D.J. press each button as required.

In conclusion, I would like to point out that there are many modern systems of programming and the Rola Auto Station is the one we've found to be perfect for 2BS Bathurst's operation. I trust my comments will stimulate some thoughts to those interested in the benefits of modern broadcasting.

E. N. Williams, Esq.
Managing Director
2BS Bathurst.

Plessey Components Group

Rola Division The Boulevard

Richmond Victoria 3121 Telephone 42 3921

NSW Plessey Components Rola Division PO Box 2 Villawood 2163 Telephone 72 0133

